

**Amendment and Response**

Applicant: Jung Pill Kim

Serial No.: 10/808,190

Filed: March 24, 2004

Docket No.: I436,112.101/IO040308PUS

Title: TEMPERATURE SENSOR SCHEME

**REMARKS**

The following remarks are made in response to the Office Action mailed January 4, 2006. Claims 23 and 24 have been cancelled. Claims 1-5, 17, and 19-21 have been allowed. Claims 6-8, 10, 11, 16, 22, and 23 were rejected. Claims 9, 11-15, 22, and 24 have been objected to. With this Response, claims 11 and 22 have been amended. Claims 1-17 and 19-22 remain pending in the application and are presented for reconsideration and allowance.

**Claim Objections**

The Examiner objected to claims 11 and 22 because of informalities. Applicant has amended claims 11 and 22 to correct these informalities. Applicant believes claims 11 and 22 are now in condition for allowance.

**Double Patenting Rejection**

The Examiner rejected claims 6-8, 10, 11, and 16 on the grounds of nonstatutory obviousness-type double patenting as being unpatentable over claims 18 and 19 of the Kim U.S. Patent No. 6,934,645. With this response, Applicant has submitted a Terminal Disclaimer. Consequently, it is believed that claims 6-8, 10, 11, and 16 are now in condition for allowance.

**Claim Rejections under 35 U.S.C. § 102**

The Examiner rejected claims 22 and 23 under 35 U.S.C. §102(b) as being anticipated by the Watanabe U.S. Patent No. 4,213,125. Applicant has amended claim 22 to include the limitations of claim 24. Consequently, it is now in condition for allowance.

Therefore, Applicant respectfully requests reconsideration and withdrawal of the 35 U.S.C. § 102(b) rejection to claim 22, and requests allowance of this claim.

**Allowable Subject Matter**

Claims 1-5, 17, and 19-21 are allowed.

The Examiner objected to claims 9, 12-15, and 24 as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all limitations of

**Amendment and Response**

Applicant: Jung Pill Kim

Serial No.: 10/808,190

Filed: March 24, 2004

Docket No.: I436.112.101/IO040308PUS

Title: TEMPERATURE SENSOR SCHEME

the base claim and any intervening claims and if rewritten to overcome the 35 U.S.C. §112 rejections. Because of Applicant's amendments above, these claims are now in condition for allowance.

**CONCLUSION**

In view of the above, Applicant respectfully submits that pending claims 1-17 and 19-22 are in form for allowance and are not taught or suggested by the cited references. Therefore, reconsideration and withdrawal of the rejections and allowance of claims 1-17 and 19-22 are respectfully requested.

No fees are required under 37 C.F.R. 1.16(b)(c). However, if such fees are required, the Patent Office is hereby authorized to charge Deposit Account No. 50-0471.

The Examiner is invited to contact the Applicant's representative at the below-listed telephone numbers to facilitate prosecution of this application.

**Amendment and Response**

Applicant: Jung Pill Kim

Serial No.: 10/808,190

Filed: March 24, 2004

Docket No.: I436.112.101/IO040308PUS

Title: TEMPERATURE SENSOR SCHEME

Any inquiry regarding this Amendment and Response should be directed to Paul P. Kempf at Telephone No. (612) 767-2502, Facsimile No. (612) 573-2005. In addition, all correspondence should continue to be directed to the following address:

**Dicke, Billig & Czaja**  
Fifth Street Towers, Suite 2250  
100 South Fifth Street  
Minneapolis, MN 55402


Respectfully submitted,

Jung Pill Kim,

By his attorneys,

**DICKE, BILLIG & CZAJA, PLLC**  
Fifth Street Towers, Suite 2250  
100 South Fifth Street  
Minneapolis, MN 55402  
Telephone: (612) 767-2502  
Facsimile: (612) 573-2005

Date: 04/04/06  
PPK:cmj

  
Paul P. Kempf  
Reg. No. 39,727

CERTIFICATE UNDER 37 C.F.R. 1.8: The undersigned hereby certifies that this paper or papers, as described herein, are being transmitted via facsimile to Facsimile No. (703) 872-9306 on this 4th day of April, 2006.

By   
Name: Paul P. Kempf